



Medical Use AC/DC Adapter

Safe, Efficient & Earth Friendly

UNIFIVE

OUR PRINCIPLE



SAFE



EARTH FRIENDLY



EFFICIENT



About UNIFIVE

Since 1989, UNIFIVE has been known for its "high quality and high reliability" and is involved in the market of AC/DC power supplies (Adapter and Open Frame etc.).

We are committed to research and development of products that meet the increasingly sophisticated electronics industry and are widely used in computers, home appliances, consumer electronics, communications, information, industry, medical and other fields. We also has patent for 360 degree AC PIN interchangeable type adaptor and it is leading the world's exclusive design.

UNIFIVE provides products which are smaller, lighter, more power efficient, and easier to use. We selling products all over the world and get the certifications for each of country. And also acquired ISO9001:2015 and ISO14001:2015 etc. to ensure products meet the latest regulations.

Customized Solution

In addition to provide customer standard adaptor, UNIFIVE also strives to provide unique product, customized service with various, high quality and regulation to satisfied customer's special requested.



Experience Team

UNIFIVE has been established for 30 years, has great development experience in switching power supply and also has the most professional service team. We will continue to work with customers to create competitive products.



Understand your needs and do our best!

Typical model

Power Rating	Input Voltage	Output Voltage
6W-100W	90V-264V	3.3V-48V

Safety



6W

UMx305

Output 5V-24V



5V/ 0.5A-0.8A-1.0A-1.2A
5.6V/ 0.5A-0.6A
5.9V/ 0.85A
6V/ 0.5A-0.6A-1.0A
7.5V/ 0.8A 8.5V/ 0.5A-0.7A
8.6V/ 0.6A 9V/ 0.5A 9.6V/ 0.2A
12V/ 0.25A-0.5A 13V/ 0.45A
15V/ 0.4A 18V/ 0.3A
24V/ 0.2A-0.25A



- Stability
- Light weight
- Customized AC PIN base on different countries .

59.0*28.0*37.6mm

6W

UMBx305

Output 5V



5V/0.5A or 5V/0.8A or
5V/1.0A or 5V/1.2A



- Stability
- Light weight
- Customized AC PIN base on different countries .
- USB Port

59.0*28.0*37.6mm

8W

UMx308

Output 12V



12V/0.5A or 12V/0.6A or
12V/0.7A



- Stability
- Light weight
- Customized AC PIN base on different countries .

60.0*44.0*30.0mm

10W

UMVUx3010

Output 3.3V-24V



3.3V/2.0A or 5V/2.0A or
5.9V/1.6A or 9V/1.1A or
10V/1.0A or 12V/0.8A or
15V/0.6A or 24V/0.4A



- Stability
- Light weight
- Customized AC PIN base on different countries .

70.0*35.0*48.0mm

12W

UMI312

Output 5V-24V



5V/2.0A or 5.5V/2.0A or
7V/1.4A-1.6A or 9V/1.3A or
12V/1.0A or 15V/0.8A or
24V/0.5A



- Stability
- Light weight

68.2*49.8*26.3mm

12W

UMx312

Output 5V-24V



5V/2.0A or 5.5V/2.0A or
7V/1.4A-1.6A or 9V/1.3A or
12V/1.0A or 15V/0.8A or 24V/0.5A



- Stability
- Light weight
- Customized AC PIN base on different countries .

63.9*49.5*29.5mm

12W

UMVUx3012

Output 5A-24V



5V/2.0A or 5.9V/2.0A or
9V/1.3A or 10V/1.2A or
12V/1.0A or 15V/0.8A or 24V/0.5A



- Stability
- Light weight
- Customized AC PIN base on different countries .

70.0*35.0*48.0mm

15W

UMI315

Output 5V-24V



5V/2.5A or 7.5V/2.0A or
9V/1.6A or 12V/1.25A or
15V/1.0A or 24V/0.65A



- Stability
- Light weight

68.2*49.8*26.3mm

15W

UMx315

Output 5V-24V



5V/2.5A or 7.5V/2.0A or
9V/1.6A or 12V/1.25A or
15V/1.0A or 24V/0.65A



- Stability
- Light weight
- Customized AC PIN base on different countries .

63.9*49.5*29.5mm

15W

UMVUx3015

Output 3.3V-24V



3.3V/2.5A or 5V/2.5A or
5.5V/2.5A or 5.9V/2.3A or
7.5V/2.0A or 9V/1.6A
12V/1.25A or 15V/1.0A or
18V/0.8A or 24V/0.65A



- Stability
- Light weight
- Customized AC PIN base on different countries .

70.0*35.0*48.0mm

18W

UMI318

Output 5V-24V



5V/3.0A or 5.9V/2.8A or 7V/2.5A
9V/2.0A or 12V/1.5A or
15V/1.2A or 24V/0.75A



- Stability
- Light weight

68.2*49.8*26.3mm

18W

UMx318

Output 5V-24V



5V/3.0A or 5.9V/2.8A or 7V/2.5A
9V/2.0A or 12V/1.5A or
15V/1.2A or 24V/0.75A



- Stability
- Light weight
- Customized AC PIN base on different countries .

63.9*49.5*29.5mm

18W

UMVUx3018

Output 3.3V-24V



3.3V/3.0A or 5V/3.0A or 5.5V/3.0A
5.9V/2.8A or 7.5V/2.4A or 9V/2.0A
12V/1.5A or 15V/1.2A or 18V/1.0A
24V/0.75A



- Stability
- Light weight
- Customized AC PIN base on different countries .

70.0*35.0*48.0mm

24W

UMVUx3024

Output 12V-24V



12V/2.0A or 24V/1.0A



- Stability
- Light weight
- Customized AC PIN base on different countries .

72.7*35.7*53.0mm

36W

UMVUx3036

Output 12V-36V



12V/2.5A-3.0A or 15V/2.4A
16V/2.2A or 18V/2.0A or 24V/1.5A
35V/1.0A or 36V/1.0A



- Stability
- Light weight
- Customized AC PIN base on different countries .

72.7*35.7*53.0mm

60W

UMDVI3060

Output 12V-48V



12V/5.0A or 15V/4.0A or
19V/3.15A or 24V/2.5A or
30V/2.0A or 48V/1.25A



- Stability
- Light weight

113.5*54.0*36.3mm

60W

UMDVB3060

Output 12V-48V



12V/5.0A or 15V/4.0A or
19V/3.15A or 24V/2.5A or
30V/2.0A or 48V/1.25A



- Stability
- Light weight

113.5*54.0*36.3mm

60W

UMDVC3060

Output 12V-48V



12V/5.0A or 15V/4.0A or
19V/3.15A or 24V/2.5A or
30V/2.0A or 48V/1.25A



- Stability
- Light weight

116.3*54.0*36.3mm

65W

UMDVI3065

Output 30V-48V



30V/2.15A or 48V/1.35A



- Stability
- Light weight

113.5*54.0*36.3mm

65W

UMDVB3065

Output 30V-48V



30V/2.15A or 48V/1.35A



- Stability
- Light weight

113.5*54.0*36.3mm

65W

UMDVC3065

Output 30V-48V



30V/2.15A or 48V/1.35A



- Stability
- Light weight

116.3*54.0*36.3mm

100W

UMI3100

Output 24V



24V/4.167A



- Stability

160.0*57.5*37.7mm

100W

UMB3100

Output 24V

24V/4.167A



- Stability

160.0*57.5*37.7mm

More information please check on our website.

JAPAN TOKYO HEAD OFFICE 

UNIFIVE CO.,LTD.

1-12-6, Kandasuda-cho, Chiyoda-ku,
Tokyo, 101-0041, Japan
TEL: +81-3-5577-5436
FAX: +81-3-5577-5457
E-mail: info@unifive.com
URL: <http://www.unifive.com>

JAPAN OSAKA OFFICE 

UNIFIVE CO.,LTD.

Astro Building 301, 5-7-18, Nishinakajima,
Yodogawa-ku, Osaka-shi, Osaka, 532-0011, Japan
TEL: +81-6-6300-7851
FAX: +81-6-6300-7852
E-mail: info@unifive.com
URL: <http://www.unifive.com>

HONG KONG OFFICE 

UNIFIVE INTERNATIONAL LIMITED.

Suite 2408, 24/F., Tower2, Lippo Centre,
89 Queensway, Hong Kong
TEL: +852-3580-1337
E-mail: sakamaki@unifive.com
URL: <http://www.unifive.com>

KOREA OFFICE 

UNIFIVE KOREA CO.,LTD.

Ba-4116 Chungang Circulation Complex 15
Gyeonginro 53-Gi, Guro-Gu, Seoul, 08217, Korea
TEL: +82-2-2611-7655
FAX: +82-2-2611-7657
E-mail: Kang@unifive.co.kr
URL: <http://www.unifive.com.tw/kr/index.aspx>

TAIWAN R&D CENTER 

UNIFIVE TECHNOLOGY CO.,LTD.

6F,-14, No.12, Ln. 609, Sec. 5, Chongxin Rd.,
Sanchong Dist., New Taipei City, 241, Taiwan
TEL: +886-4-2382-8806
FAX: +886-4-2382-8606
E-mail: inquiry@unifive.com.tw
URL: <http://www.unifive.com.tw>

TAIWAN OFFICE 

UNIFIVE TECHNOLOGY CO.,LTD.

No. 149-20, Longfu 18th RD.,
Nantun Dist., Taichung City 408, Taiwan
TEL: +886-4-2382-8806
FAX: +886-4-2382-8606
E-mail: inquiry@unifive.com.tw
URL: <http://www.unifive.com.tw>

CHINA FACTORY 

UNIFIVE TECHNOLOGY (SHEN ZHEN) CO.,LTD.

No. 101, 201, 301, Building E, DaTianYang Industrial Zone,
LongMen Village, HongXing, SongGang Street, BaoAn
District, ShenZhen, Guangdong, P.R.518105, China.
TEL: +86-755-3387-0193
FAX: +86-755-3387-0191
E-mail: powell@unifive.cn
URL: <http://www.unifive.com.tw/cn/index.aspx>

USA OFFICE 

UNIFIVE CO.,LTD.

18022 Cowan, Suite 200 Irvine, CA 92614.
TEL: +1-949-260-9602
FAX: +1-949-260-9218
E-mail: info@unifive-us.com
URL: <http://www.unifive.com/en>