



# Open Frame Switching Power Supply

---

Safe, Efficient & Earth Friendly

---

UNIFIVE

# OUR PRINCIPLE



## SAFE



## EARTH FRIENDLY



## EFFICIENT



## About UNIFIVE

Since 1989, UNIFIVE has been known for its "high quality and high reliability" and is involved in the market of AC/DC power supplies (Adapter and Open Frame etc.).

We are committed to research and development of products that meet the increasingly sophisticated electronics industry and are widely used in computers, home appliances, consumer electronics, communications, information, industry, medical and other fields. We also has patent for 360 degree AC PIN interchangeable type adaptor and it is leading the world's exclusive design.

UNIFIVE provides products which are smaller, lighter, more power efficient, and easier to use. We selling products all over the world and get the certifications for each of country. And also acquired ISO9001:2015 and ISO14001:2015 etc. to ensure products meet the latest regulations.

### Customized Solution

In additional to provide customer standard adaptor, UNIFIVE also strives to provide unique product, customized service with various, high quality and regulation to satisfied customer's special requested.



### Experience Team

UNIFIVE has been established for 30 years, has great development experience in switching power supply and also has the most professional service team. We will continue to work with customers to create competitive products.



***Understand your needs and do our best!***

## Typical model

Power Rating	Input Voltage	Output Voltage
6W-300W	90V-264V	3.3V-35V

## Safety



**6W**

**UOB305**

**Output 3.3V-5V**



3.3V/1.2A~2.0A or  
5V/1.0A~1.2A



- Stability
- Ultra small size
- OCP~OVP

75.0\*34.0\*23.1mm

**6W**

**UOF305**

**Output 3.3V-24V**



3.3V/1.5A~1.6A~2.0A or  
5V/0.5A~1.0A or 6V/1.0A or  
12V/0.5A or 15V/0.4A or  
24V/0.2A



- Stability
- Ultra small size
- OCP~OVP

55.0\*27.8\*18.5mm

**12W**

**UOB310**

**Output 3.3V-24V**



3.3V/2.0A or 5V/2.0A or 9V/1.1A  
12V/1.0A or 15V/0.7A  
18V/0.6A or 24V/0.5A




- Stability
- Ultra small size
- OCP~OVP

60.0\*42.8\*21.0mm

**12W**

**UOC312**

**Output 5V-12V**



5V/2.0A or 12V/1.0A



- Stability
- Ultra small size
- OCP~OVP

76.5\*50.0\*26.6mm

**12W**

**UOF312**

**Output 5V-24V**



5V/2.0A or 5.5V/2.0A  
7V/1.4A or 12V/0.8A~1.0A or  
15V/0.8A or 24V/0.5A




- Stability
- Ultra small size
- OCP~OVP

95.0\*50.0\*22.7mm

**15W**

**UOC315**

**Output 5V-24V**



5V/2.5A or 12V/1.25A or  
24V/0.6A



- Stability
- Ultra small size
- OCP~OVP

76.5\*50.0\*26.6mm

**15W**

**UOF315**

**Output 12V-24V**



12V/1.25A or 15V/1.0A or 24V/0.65A



- Stability
- Ultra small size
- OCP·OVP

95.0\*50.0\*22.7mm

**15W**

**UOH315**

**Output 5V-12V**



5V/2.5A or 12V/1.25A




- Stability
- Ultra small size
- OCP·OVP

75.2\*44.2\*26.6mm

**18W**

**UOC318**

**Output 12V-24V**



12V/1.5A or 15V/1.2A or 24V/0.75A




- Stability
- Ultra small size
- OCP·OVP

76.5\*50.0\*26.6mm

**18W**

**UOF318**

**Output 10V-24V**



10V/1.85A or 12V/1.5A or 15V/1.2A or 24V/0.75A



- Stability
- Ultra small size
- OCP·OVP

95.0\*50.0\*22.7mm

**20W**

**UOI320**

**Output 12V**



12V/1.67A




- Stability
- Ultra small size
- OCP·OVP

103.0\*46.0\*27.6mm

**25W**

**UOB325**

**Output 12V-24V**



12V/1.5A~2.0A or 15V/1.6A or 24V/1.0A




- Stability
- Ultra small size
- OCP·OVP

72.5\*50.0\*31.1mm

**25W**

**UOA325D**

**Output 5V-12V**



A - 5V/1.5A 12V/1.5A  
B - 5V/1.5A 12V/1.0A  
C - 5V/2.0A 12V/1.5A  
D - 5V/2.0A 12V/1.0A




- Stability
- Light weight
- OCP·OVP

103.0\*46.0\*33.1mm

**25W**

**SHB-MM25**

**Output 5V-12V**



5V/1.5A or 12V/1.5A



- Stability
- Light weight
- OCP·OVP


150.0\*25.8\*27.1mm

**36W**

**UOH336**

**Output 12V-24V**

12V/3.0A or 24V/1.5A



- Stability
- Ultra small size
- OCP-OVP


103.0\*46.0\*31.6mm

**36W**

**UOA336D**

**Output 5V-12V**

A - 5V/2.0A 12V/2.0A  
B - 5V/2.5A 12V/1.5A  
C - 5V/2.2A 12V/2.2A



- Stability
- Light weight
- OCP-OVP

103.0\*46.0\*33.1mm

**40W**

**UOP340**

**Output 5V**

5V/5.0A or 5V/8.0A



- Stability
- Ultra small size
- OCP-OVP

92.8\*63.5\*31.6mm

**45W**

**UOA345**

**Output 12V-35V**

12V/4.0A or 15V/3.0A  
24V/2.0A or 35V/1.3A



- Stability
- Ultra small size
- OCP-OVP-OTP

103.0\*46.0\*33.1mm

**45W**

**UOA345D**

**Output 5V-12V**

A - 5V/2.5A 12V/2.5A  
B - 5V/3.0A 12V/2.0A  
C - 5V/2.0A 12V/3.0A  
D - 5V/2.3A 12V/3.0A



- Stability
- Light weight
- OCP-OVP-OTP

103.0\*46.0\*33.1mm

**60W**

**UOM360**

**Output 24V**

24V/2.5A



- Stability
- Ultra small size
- OCP-OVP-OTP


95.0\*70.0\*29.6mm

**60W**

**UOA360**

**Output 12V-24V**

12V/5.0A or 24V/2.5A



- Stability
- Ultra small size
- OCP-OVP-OTP

103.0\*46.0\*33.1mm

**60W**

**UOA360D**

**Output 5V-12V**

A - 5V/2.0A 12V/4.3A  
B - 5V/3.0A 12V/3.0A



- Stability
- Light weight
- OCP-OVP-OTP


103.0\*46.0\*33.1mm

**90W**

**UOC390**

**Output 24V**

24V/3.75A



- Stability
- Ultra small size
- OCP·OVP·OTP

135.0\*102.0\*35.0mm

**90W**

**UOP390**

**Output 24V**

24V/3.75A



- Stability
- Ultra small size
- OCP·OVP·OTP


140.0\*80.0\*30.6mm

**150W**

**UOHC3150**

**Output 5V-24V**

24V/6.3A & 5V/1.0A (Option)



- Stability
- Add internal standby power (5V) supplied power for remote control
- OCP·OVP·OTP

160.0\*75.0\*36.5mm

**160W**


**UNOAT3160**

**Output 12V-54V**

12V/8.33A or 15V/6.67A

24V/4.17A or 48V/2.08A

54V/1.92A



- Stability
- Ultra small size
- OCP·OVP

101.6\*50.8\*32.0mm

**240W**

**UOHL3240**

**Output 5V-24V**

24V/10.0A & 5V/2.0A (Option)



- Stability
- Ultra small size
- Add internal standby power (5V) supplied power for remote control
- OCP·OVP·OTP

222.0\*95.0\*45.0mm

**240W**

**UOHC3240**

**Output 5V-24V**

24V/10.0A & 5V/1.0A (Option)



- Stability
- Ultra small size
- Add internal standby power (5V) supplied power for remote control
- OCP·OVP·OTP

180.0\*84.0\*46.0mm

**300W**

**UOHC3300**

**Output 5V-24V**

24V/12.5A & 5V/2.0A (Option)



- Stability
- Add internal standby power (5V) supplied power for remote control
- OCP·OVP·OTP

222.0\*95.0\*52.0mm

More information please check on our website.

**JAPAN TOKYO HEAD OFFICE** 

**UNIFIVE CO.,LTD.**

1-12-6, Kandasuda-cho, Chiyoda-ku,  
Tokyo, 101-0041, Japan  
TEL: +81-3-5577-5436  
FAX: +81-3-5577-5457  
E-mail: [info@unifive.com](mailto:info@unifive.com)  
URL: <http://www.unifive.com>

**JAPAN OSAKA OFFICE** 

**UNIFIVE CO.,LTD.**

Astro Building 301, 5-7-18, Nishinakajima,  
Yodogawa-ku, Osaka-shi, Osaka, 532-0011, Japan  
TEL: +81-6-6300-7851  
FAX: +81-6-6300-7852  
E-mail: [info@unifive.com](mailto:info@unifive.com)  
URL: <http://www.unifive.com>

**HONG KONG OFFICE** 

**UNIFIVE INTERNATIONAL LIMITED.**

Suite 2408, 24/F., Tower2, Lippo Centre,  
89 Queensway, Hong Kong  
TEL: +852-3580-1337  
E-mail: [sakamaki@unifive.com](mailto:sakamaki@unifive.com)  
URL: <http://www.unifive.com>

**KOREA OFFICE** 

**UNIFIVE KOREA CO.,LTD.**

Ba-4116 Chungang Circulation Complex 15  
Gyeonginro 53-Gi, Guro-Gu, Seoul, 08217, Korea  
TEL: +82-2-2611-7655  
FAX: +82-2-2611-7657  
E-mail: [Kang@unifive.co.kr](mailto:Kang@unifive.co.kr)  
URL: <http://www.unifive.com.tw/kr/index.aspx>

**TAIWAN R&D CENTER** 

**UNIFIVE TECHNOLOGY CO.,LTD.**

6F,-14, No.12, Ln. 609, Sec. 5, Chongxin Rd.,  
Sanchong Dist., New Taipei City, 241, Taiwan  
TEL: +886-4-2382-8806  
FAX: +886-4-2382-8606  
E-mail: [inquiry@unifive.com.tw](mailto:inquiry@unifive.com.tw)  
URL: <http://www.unifive.com.tw>

**TAIWAN OFFICE** 

**UNIFIVE TECHNOLOGY CO.,LTD.**

No. 149-20, Longfu 18th RD.,  
Nantun Dist., Taichung City 408, Taiwan  
TEL: +886-4-2382-8806  
FAX: +886-4-2382-8606  
E-mail: [inquiry@unifive.com.tw](mailto:inquiry@unifive.com.tw)  
URL: <http://www.unifive.com.tw>

**CHINA FACTORY** 

**UNIFIVE TECHNOLOGY (SHEN ZHEN) CO.,LTD.**

No. 101, 201, 301, Building E, DaTianYang Industrial Zone,  
LongMen Village, HongXing, SongGang Street, BaoAn  
District, ShenZhen, Guangdong, P.R.518105, China.  
TEL: +86-755-3387-0193  
FAX: +86-755-3387-0191  
E-mail: [powell@unifive.cn](mailto:powell@unifive.cn)  
URL: <http://www.unifive.com.tw/cn/index.aspx>

**USA OFFICE** 

**UNIFIVE CO.,LTD.**

18022 Cowan, Suite 200 Irvine, CA 92614.  
TEL: +1-949-260-9602  
FAX: +1-949-260-9218  
E-mail: [info@unifive-us.com](mailto:info@unifive-us.com)  
URL: <http://www.unifive.com/en>